

» WATER BASED PREMIUM RANGE

- o SATIN SHEEN
- o MID SHEEN
- o VELVET COAT
- o ULTRA MATT
- o PURE COAT

» WATER BASED STANDARD RANGE

- o PVA ACRYLICS
- o ROOF COATING
- o FLOOR COATING
- o PREPARATION COATINGS
- o WATERPROOFING COATINGS

» **SOLVENT BASED** PREMIUM RANGE

- o NON-DRIP
- o SUPER GLOSS
- o EGGSHELL
- o FLAT MATT

» **SOLVENT BASED** STANDARD RANGE

- o ENAMEL COATINGS
- o WOOD COATINGS
- o FLOOR COATING
- o ROAD MARKING
- o EPOXY FLOOR COATING
- o PREPARATION COATINGS
- o WATERPROOFING COATINGS









SATIN SHEEN PREMIUM RANGE





MEMBER OF THE S A PAINT

PRODUCT DESCRIPTION

New generation water based 100% acrylic long life, interior / exterior, Satin Sheen coating for those high traffic areas that need a highly washable and durable coating in a wide range of colours.

PRODUCT FEATURES

- Highly washable, comfortably meets the requirements of the very harsh SABS and ASTMS scrubs resistance test methods.
- Highly durable and UV resistant for the harsh South African climate.
- Excellent adhesion.
- Excellent, no mess application properties.
- Low odour.
- If correctly applied to a properly prepared substrate the product has a life expectancy of 5-7 years, possibly longer.

APPLICATION AREAS

- Primed plaster cement walls.
- · Hardboard and Fibre cement walls
- Primed metal.
- Wooden substrates.

Visit our website to view the Heritage Paint Technical Data Sheet for this product www.heritagepaints.co.za



MID SHEEN PREMIUM RANGE





MEMBER OF THE S A PAINT

PRODUCT DESCRIPTION

New generation water based 100% acrylic long life, interior / exterior, Mid Sheen coating for those high traffic areas that need a highly washable and durable coating in a wide range of colours.

PRODUCT FEATURES

- Highly washable, comfortably meets the requirements of the very harsh SABS and ASTMS scrubs resistance test methods.
- Highly durable and UV resistant for the harsh South African climate.
- Excellent adhesion.
- Excellent, no mess application properties.
- Low odour.
- If correctly applied to a properly prepared substrate the product has a life expectancy of 5-7 years, possibly longer.

APPLICATION AREAS

- Primed plaster cement walls.
- Hardboard and Fibre cement walls
- Primed metal.
- Wooden substrates.

Visit our website to view the Heritage Paint Technical Data Sheet for this product www.heritagepaints.co.za



VELVET COAT PREMIUM RANGE





MEMBER OF THE S A PAINT

PRODUCT DESCRIPTION

New generation water based 100% acrylic long life, interior /exterior, Velvet Sheen coating for those high traffic areas that need a highly washable and durable coating in a wide range of colours.

PRODUCT FEATURES

- Highly washable, comfortably meets the requirements of the very harsh SABS and ASTMS scrubs resistance test methods.
- Highly durable and UV resistant for the harsh South African climate.
- Excellent adhesion.
- Excellent, no mess application properties.
- Low odour.
- If correctly applied to a properly prepared substrate the product has a life expectancy of 5-7 years, possibly longer.

APPLICATION AREAS

- Primed plaster cement walls.
- Hardboard and Fibre cement walls
- Primed metal.
- Wooden substrates.

Visit our website to view the Heritage Paint Technical Data Sheet for this product www.heritagepaints.co.za



ULTRA MATT PREMIUM RANGE





MEMBER OF THE S A PAIR

PRODUCT DESCRIPTION

New generation water based 100% acrylic long life, interior / exterior, Ultra Matt coating for those high traffic areas that need a highly washable and durable coating in a wide range of colours.

PRODUCT FEATURES

- Highly washable, comfortably meets the requirements of the very harsh SABS and ASTMS scrubs resistance test methods.
- Excellent adhesion.
- Ultra Matt Premium Range hides plaster imperfections.
- Excellent, no mess application properties.
- Low odour.
- If correctly applied to a properly prepared substrate the product has a life expectancy of 5-7 years, possibly longer.

APPLICATION AREAS

- Primed plaster cement walls.
- Hardboard and Fibre cement walls
- Primed metal.
- Wooden substrates.

Visit our website to view the Heritage Paint Technical Data Sheet for this product www.heritagepaints.co.za



TEXTURE COAT PREMIUM RANGE





MEMBER OF THE S A PAINT

PRODUCT DESCRIPTION

New generation water based 100% acrylic long life, interior / exterior, Texture coating for those high traffic areas that need a highly washable and durable coating in a wide range of colours.

PRODUCT FEATURES

- Rough texture masks/hides plaster imperfections.
- Excellent adhesion.
- Excellent Flexibility covers hair line cracks.
- Good dirt shedding properties.
- Excellent, no mess application properties.
- Low odour.
- If correctly applied to a properly prepared substrate the product has a life expectancy of 7-10 years, possibly longer

APPLICATION AREAS

- Primed plaster cement walls.
- Hardboard and Fibre cement walls
- Primed metal.
- Wooden substrates.

Visit our website to view the Heritage Paint Technical Data Sheet for this product www.heritagepaints.co.za





PVA ACRYLICS







PRODUCT DESCRIPTION

New generation water based pure acrylic either for interior or exterior depending on the product or application.

PRODUCT FEATURES

- Highly durable and UV resistant for the harsh South African climate.
- Highly water resistance.
- Excellent adhesion.
- Excellent, no mess application properties.
- Quick drying two coats can be applied in one day.
- Low odour.
- If correctly applied to a properly prepared substrate the products has a life expectancy of 5-7 years, possibly longer.

APPLICATION AREAS

- Plaster, Hardboard and Fibre cement walls/ceilings.
- · Primed metal.
- Wooden substrates.

Visit our website to view the Heritage Paint Technical Data Sheet for these products

Available





HI-COVER

walls and ceilings.



REPOTEX STIPPLE COAT

New generation water based long life Exterior coating for those areas that need a highly durable Stipple coating that hides plaster imperfections.

New generation water based Matt coating for walls and ceilings with hi-hiding power.

New generation water based economic, Matt coating for









ROOF COATING





MEMBER OF THE S.A.PAINT MANUFACTURERS ASSOCIATE

PRODUCT DESCRIPTION

New generation pure acrylic, water based, low sheen, long life Roof Coating.

PRODUCT FEATURES

- Highly durable and UV resistant for the Harsh South African climate.
- Highly water resistance.
- Excellent adhesion.
- Excellent, no mess application properties.
- Quick drying two coats can be applied in one day.
- Low odour.
- If correctly applied to a properly prepared substrate the product has a life expectancy of 5-7 years, possibly longer.

APPLICATION AREAS

- Cement tiles (new/weathered), fibre cement sheeting (new/weathered) and plaster.
- Previously painted substrates.
- Primed metal and wooden substrates.











FLOOR COATING



PRODUCT DESCRIPTION

New generation water based, pure acrylic for a low sheen, abrasion resistant interior or exterior Floor and Paving Coating.

PRODUCT FEATURES

- Highly durable and UV resistant for the harsh South African climate.
- Highly water resistance.
- Excellent adhesion/abrasion resistance.
- Excellent, no mess application properties.
- Quick drying two coats can be applied in one day.
- Low odour.

APPLICATION AREAS

- Cement Paving tiles (new /weathered) or plaster. (new/weathered)
- Previously painted substrates.
- Primed metal.
- · Wooden substrates.











PREPARATION COATINGS





MEMBER OF THE S A PAI

PRODUCT DESCRIPTION

New generation pure acrylic, water based Contractors, Bonding Liquid / Plaster Bond (Cement Modifier)/ Metal Primer or Multi-Substrate Primer Preparation Coating.

PRODUCT FEATURES

- Excellent corrosion protect and stain blocking properties.
- Excellent adhesion, hiding powers.
- Excellent, no mess application properties to a wide range of house hold substrates.
- Quick drying and very smooth undercoat/primer.
- Excellent penetrating and binding properties.
- Excellent alkali resistant and properties.
- Can be used for many different cement, mortar and concrete types.
- Improved bonding/adhesion between the plaster/concrete and the substrate.
- Improved water resistance and flexibility of plasters/concretes modified with this additive.

APPLICATION AREAS

- New or weathered plaster, bricks, hardboard and fibre cement walls.
- New or weathered galvanised steel and mild steel.
- Powdery, friable, weathered, previously painted areas.
- Lime wash.
- PVC and Ceramic gutters and down pipes or tiles.
- Wood / Timber substrates and Melamine's/Formica

Visit our website to view the
Heritage Paint Technical Data Sheet for these products
www.heritagepaints.co.za

Available 1/5/20 Litre



New generation water based economic primer with a matt finish for plastered walls.

BONDING LIQUID

A classical solution polymer based penetrating, bonding and stabilising liquid/sealer for interiors and exteriors.

PLASTER BOND (CEMENT MODIFIER)

A novel acrylic resin cement modifier for use in plaster and concrete to not only improve the adhesion, flexibility of the cement mortar, plaster or concrete but also improves its early water resistance, strength and help to seal from oil and grease penetration, which can have adverse effects on plaster/concrete.

METAL PRIMER

New generation water based non toxic anti-corrosive metal primer for use on degreased Galvanised steel and rust free, clean, dry mild steel.

MULTI-SUBSTRATE PRIMER

A Novel, pure acrylic water based multi-substrate primer for use on a large range of house hold substrates.











WATERPROOFING

New generation water based pure acrylic waterproofing compound, in which the re-inforcing fibre membrane is incorporated into the ready to use liquide coating to provide a long lasting, seamless and flexible waterproofing coating.

FIBROUS WATERPROOFING

New generation water based pure acrylic waterproofing compound, in which the re-enforcing fibre membrane is incorporated into the ready to use liquid coating to provide a long lasting, seamless and flexible water proof coating.

FLEXIBLE WATERPROOFING

High performance water based styrene acrylic waterproofing compound, which is used in combination with a geo-fabric membrane to provide a long lasting flexible water proof coating for all roof types, parapet walls and other areas as required.

CEMENT WATERPROOF ADDITIVE

Acrylic based admixture, which improves water resistance and adhesion of cement based composites.

WATERPROOFING COATINGS



PRODUCT DESCRIPTION

New generation water based pure acrylic Waterproofing / Fibrous Waterproofing / Flexible Waterproofing and Cement Waterproofing Additive for long life waterproofing applications.

PRODUCT FEATURES

- Highly durable and UV resistant for the harsh South African climate.
- Highly water resistant-with a low water up take this coating won't let the water re-enter the areas it protects.
- Excellent adhesion and flexibility-this coating will move with building as it expands and contracts as the temperature fluctuates between night and day and Winter and Summer.
- Resists algae and fungus growth.
- · Low odour.
- To help seal very large vertical and horizontal cracks in walls, which even after filling may have a tendency to re open with time.
- Non hazardous.

APPLICATION AREAS

- Tile and fibre cement (asbestos) roofs, including ridging and flashing areas.
- Metal roofs, including overlap, screw heads and flashing areas.
- Parapet walls.

Visit our website to view the
Heritage Paint Technical Data Sheet for these products
www.heritagepaints.co.za













NON-DRIP ENAMEL





PRODUCT DESCRIPTION

A classical modified alkyd based interior, satin coating for those high traffic and humid areas (e.g. kitchens/bathrooms) that need a highly washable and chip resistant coating in a range of colours.

PRODUCT FEATURES

- Highly washable, cleanable and chip resistent.
- Excellent adhesion to a range of properly prepared substrates.
- Excellent, no mess (non- drip) application properties, with excellent, flow and levelling.
- High hiding power and film build.

APPLICATION AREAS

- Primed plaster cement walls.
- Hardboard and Fibre cement walls
- Primed metal.
- Wooden substrates.

Visit our website to view the Heritage Paint Technical Data Sheet for this product www.heritagepaints.co.za







SUPER GLOSS ENAMEL





PRODUCT DESCRIPTION

A classical alkyd based premium long life, interior/exterior high gloss coating for those high traffic areas that need a highly washable and durable coating in a wide range of colours.

PRODUCT FEATURES

- Highly durable and UV resistant for the harsh South African climate.
- Highly washable, cleanable.
- Excellent adhesion to a range of properly prepared substrates.
- Excellent, no mess application properties, with excellent, flow and levelling.
- High hiding power and film build.

APPLICATION AREAS

- Primed plaster cement walls.
- Hardboard and Fibre cement walls
- Primed metal.
- Wooden substrates.

Visit our website to view the Heritage Paint Technical Data Sheet for this product www.heritagepaints.co.za







EGGSHELL ENAMEL







PRODUCT DESCRIPTION

A classical alkyd based premium long life, interior semi-gloss coating for those high traffic areas that need a highly washable coating.

PRODUCT FEATURES

- Highly washable, cleanable.
- Excellent adhesion to a range of properly prepared substrates.
- Excellent, no mess application properties, with excellent, flow and levelling.
- High hiding power and film build.

APPLICATION AREAS

- Primed plaster cement walls.
- Hardboard and Fibre cement walls
- Primed metal.
- Wooden substrates.

Visit our website to view the Heritage Paint Technical Data Sheet for this product www.heritagepaints.co.za







FLAT MATT ENAMEL





MEMBER OF THE S A PAINT MANUFACTURERS ASSOCIATE

PRODUCT DESCRIPTION

A classical alkyd based premium long life, interior flat matt coating for those high traffic areas that need a highly washable coating.

PRODUCT FEATURES

- Highly washable, cleanable.
- Excellent adhesion to a range of properly prepared substrates.
- Excellent, no mess application properties, with excellent, flow and levelling.
- High hiding power and film build.

APPLICATION AREAS

- Primed plaster cement walls.
- Hardboard and Fibre cement walls
- Primed metal.
- Wooden substrates.

Visit our website to view the Heritage Paint Technical Data Sheet for this product **www.heritagepaints.co.za**









ENAMEL COATINGS





PRODUCT DESCRIPTION

New generation solvent based Chrome Aluminium / Economic Gloss / School Board / Quick Dry / Hammertone Enamel long life coating.

PRODUCT FEATURES

- Highly durable and UV resistant for the harsh South African climate.
- Excellent adhesion to range of properly prepared substrates.
- Highly washable, cleanable, humidity and scratch resistant can be cleaned with normal house hold cleaners on a regular basis.
- Excellent, no mess application properties, with excellent, flow and levelling.
- High hiding power and film build.
- Scratch and chip resistant.

APPLICATION AREAS

- Primed plaster cement walls.
- · Hardboard and fibre cement walls.
- Primed metal.
- · Wooden substrates.
- Previously painted substrates.

Visit our website to view the Heritage Paint Technical Data Sheet for these products www.heritagepaints.co.za

Available







repainting worn out chalk boards.

A classical modified alkyd based exterior gloss coating for agricultural and commercial equipment/vehicles that need a long lasting, hard and highly washable/scratch resistant coating in a range of colours.

A quick drying speciality finish for use on clean, dry metal surfaces where the effect of hammered metal is desired. A hard and highly washable/scratch resistant coating in a range of colours.





















WOOD COATINGS







PRODUCT DESCRIPTION

Interior or Exterior alkyd based / Polyurethane Varnish / Wood Sealer: Abrasion and weather resistant coating for wooden surfaces.

PRODUCT FEATURES

- Highly durable and UV resistant for the harsh South African climate.
- High water resistance.
- Excellent adhesion to properly prepared wooden substrates.
- Excellent, no mess application properties, with excellent, flow and levelling.
- Good water/alcohol mark resistance.
- Scratch/abrasion resistant

APPLICATION AREAS

- Properly prepared wooden / timber substrates.
- Exterior wooden / timber substrates.
- Interior wooden / timber substrate.
- Wooden furniture / bar tops and window / door / door frames.

A Classical alkyd based water and weather resistant coating for Exterior wooden / timber substrates.

INTERIOR VARNISH
A Classical alkyd based water and abrasion resistant coating for Interior wooden / timber substrates.

A Classical PU / alkyd based Interior scratch / water and alcohol resistant coating for wooden furniture / bar tops and window / door / door frames.

INTERIOR WOOD SEALER

A Classical alkyd based low solids coating for interior wooden / timber substrates.

EXTERIOR WOOD SEALER

A Classical alkyd / oil / wax based, low solids water and weather resistant coating for Exterior wooden / timber substrates.

Visit our website to view the Heritage Paint Technical Data Sheet for these products www.heritagepaints.co.za













FLOOR COATINGS







PRODUCT DESCRIPTION

A new generation alkyd based interior floor coatings for those high traffic areas that need a highly washable, alkali and abrasion resistant coating in a range of colours.

PRODUCT FEATURES

- Highly washable, cleanable, humidity and abrasion resistant.
- Excellent adhesion to a range of properly prepared, dry flooring substrates.
- Excellent, no mess application properties, with excellent, flow and levelling.
- · High hiding power and film build.
- Alkali resistant when applied to dry cement floors. (moisture level 15% max)

APPLICATION AREAS

• Dry (moisture level 15% Max) cement floors.



INDUSTRIAL FLOOR COATING

A new generation, solvent-based, modified Alkyd quick dry interior low gloss floor coating for those high traffic areas like work shop floors that need a highly washable, alkali and abrasion resistant coating.



STOEP COATING

A new generation, solvent-based, Polyurethane / Alkyd interior / exterior gloss floor coating for those high traffic areas that need a highly washable, alkali and abrasion resistant coating.

Visit our website to view the Heritage Paint Technical Data Sheet for these products www.heritagepaints.co.za















ROAD MARKING





PRODUCT DESCRIPTION

A classic, modified alkyd based, interior / exterior, low sheen Roadmarking coating for unpainted bricks, cement, concrete, stone, bituminous and tarmac road surfaces to protect substrates from abrasion, rain and sun. Meets the rigorous requirements of SABS 731 Type1.

PRODUCT FEATURES

- High abrasion resistance and durability.
- Excellent adhesion to a range of properly prepared road surface types.
- Heritage Roadmarking contains highly reflective minerals for high visibility in parking and other areas.
- Meets SABS 731 Type 1 standards.
- Suitable for machine application as well as with a paint roller or brush.
- Serves as a base coating for the application of reflective glass beads.
- Available in the different shades required by municipalities and road authorities.
- Also available in a low odour/low VOC water based, pure acrylic version.
 One coat of Heritage Roadmarking is used for best results.

APPLICATION AREAS

- Cement, concrete road surfaces.
- Tarmac (Bitumen) road surfaces.

Colour Range:























EPOXY FLOOR COATING







PRODUCT DESCRIPTION

A classical two pack epoxy based long life, interior, abrasion resistant gloss Floor Coating for those high traffic areas that need a highly abrasion, water, chemical and acid resistant coating in a range of colours.

PRODUCT FEATURES

- Highly abrasion and chemical resistant.
- Highly washable, cleanable.
- Excellent adhesion to a range of properly prepared substrates.
- Excellent, no mess application properties, with excellent, flow and self levelling.
- High hiding power and film build.

APPLICATION AREAS

- Concrete substrates.
- Plaster substrates.
- Previously painted substrates.

Available 5/25 Litre













Visit our website to view the Heritage Paint Technical Data Sheet for this product www.heritagepaints.co.za



UNIVERSAL UNDERCOAT (GENERAL PURPOSE)
A classical alkyd based general purpose undercoat, which has been especially formulated to give the best long term performance for the total system. When used to provide a very strong and stable base for over coating with a wide range of Heritage water and solvent based products.

A classical solvent based penetrating, bonding and stabilising liquid/sealer for interior and exterior use on powdery, friable and very porous or stained substrates such as old paint, new friable or porous plaster and fillers.

ETCH PRIMER
A classical Polyvinyl Butyral based acid etch anti-corrosive metal primer for use on degreased Galvanised steel and rust free, clean dry mild steel.

A classical alkyd based corrosion resistant primer for use on mild steel, which has been especially formulated to give good long term performance for the total system when used to provide a very strong and stable base for over coating with a range of Heritage solvent based products.

A classical alkyd based primer for interior and especially exterior wood, which has been especially formulated with ingredients to feed and nourish the wood so as to give the best long term performance for the total system when used to provide a very strong and stable base for over coating with a wide range of Heritage decorative solvent based products.

A classical but economic Quick Dry Primer, Grey or Red Oxide, corrosion resistant primer for use on Mild or Galvanized Steel, which has been especially formulated to give good long term performance when used to provide a very strong and stable base for overcoating with Quick Dry Enamel coating.

PREPARATION COATINGS





PRODUCT DESCRIPTION

New generation solvent based Universal Undercoat / Plaster / Masonry / Etch / Red Oxide / Pink Wood Primer or Quick Dry Primer Preparation Coating.

PRODUCT FEATURES

- Highly durable, humidity and UV resistant for the harsh South African climate.
- Excellent Corrosion protect and stain blocking properties
- Excellent adhesion, Hiding power.
- Excellent, no mess application properties.
- Quick drying and very smooth undercoats/primers.
- Excellent penetrating and binding properties.
- Excellent alkali resistant and properties.

APPLICATION AREAS

- Plaster, Hardboard and Fibre cement walls.
- Primed metal or Degreased / mild steel / galvanised steel / aluminium / copper and brass.
- Powdery, friable weathered, previously painted areas.
- Fire or nicotine stained areas.
- Wooden / timber substrates.
- Unpainted bricks.

Visit our website to view the Heritage Paint Technical Data Sheet for these products www.heritagepaints.co.za

Available















WATERPROOFING COATINGS



PRODUCT DESCRIPTION

New generation solvent based Bituminous Black Paste / Bituminous Aluminium and Damp Sealer for long life Water Proofing applications.

PRODUCT FEATURES

- Highly durable, humidity and UV resistant for the harsh Gauteng climate.
- Excellent adhesion to a range of properly prepared substrates and over coat ability.
- Excellent, no mess application properties, with excellent, flow and levelling that gives a really even finish.
- Very cost effective.
- Resists Algae and Fungus growth.

APPLICATION AREAS

- Primed metal and other substrates/roofs, especially in humid areas.
- Building foundations and retaining walls as a cost effective water proofing material. • Metal roofs, including overlap, screw heads and flashing areas.
- Parapet walls.
- Any area with a history of rising damp.

DAMPSEAL

New generation solvent based solution acrylic waterproofing compound, in which white cement is incorporated into the ready to use liquid coating to provide a long lasting, seamless and flexible water proof coating for parapet walls and other areas as required.

BITUMINOUS ALUMINIUM
A classical Bitumen based long life, interior, exterior high shine aluminium coating for a wide range of substrate/objects that need a highly durable and humidity but cost effective aluminium finish.

BITUMINOUS BLACK PASTE

A classical Bitumen based long life, high water resistant black coating for a wide range of substrate/objects that need a highly water and humidity but cost effective finish.

Visit our website to view the Heritage Paint Technical Data Sheet for these products www.heritagepaints.co.za



















info@heritagepaints.co.za

www.heritagepaints.co.za | 0800 0 PAINT - 0800 0 72468

Heritage Paints C.C.18 Garland Street, Ophirton, Johannesburg