


2024|2025 COLLECTION

FLAVIO®

# Euro

## Bath & Tile

*Live Life Better*





# ABOUT US

The Company was established back in November 2002 as a small local family business in the farm town of Trichardt just 5km out of Secunda in Mpumalanga South Africa.

Euro Bath and Tile (Pty) Ltd initially started trading from a 155sqm store with a 220sqm warehouse, we later expanded into a regional business supplying clients over a 200km radius in and around the Mpumalanga province which incentivised the relocation to a 6040sqm store which currently operates as our head office, Today Euro Bath and Tile (Pty) Ltd is a Multi-National Store two additional branches in Edenvale (2014) and Centurion (2018) serving clients all over the country with notable clients in George, Durban, and Cape Town.

Our clientele reach extends all over sub-Saharan African countries like Botswana, Zimbabwe, Zambia, Mozambique, Angola, Malawi, Swaziland and Lesotho, with some clients as far as The DRC.



Euro Bath and Tile reserves the right to alter and/or remove designs from time to time without prior notice.





# CONTENTS PAGE

<b>Toilets</b>	<b>6</b>
Nuflow	7
Q-Flo	7
Valeri II	8
Formosa II	9
paraplegic & Urinals	10
<b>Ceramic Basins</b>	<b>11</b>
Vanity/Wall Hung Basins	12
Coutertop Basins with taphole	13
Coutertop Art Basins	16
Matt Black Coutertop Art Basins	18
Gold Coutertop Art Basins	19
<b>Timber Trends Bathroom Furniture</b>	<b>20</b>
Tall Wall Cabinets	21
Sofia Vanities With slab Basin	22
Oslo Vanities with Quartz Top	23
<b>Bathroom Mirrors</b>	<b>25</b>
Standard Mirrors	26
LED Mirrors	27
<b>Aqua-Tec Showers</b>	<b>29</b>
Semi-Framed	30
Semi-Frameless	32
Shower panels	34
Bath Screen & Spares	35
<b>Baths</b>	<b>36</b>
Acrylic Inset Baths	37
Acrylic Coner Baths	38
Acrylic Freestanding Baths	38
Dado Quartz Baths	39
<b>Jensen Bathroom Accessories</b>	<b>42</b>
Brass Accessories	43
Stainless Steel Accessories	46
Bath Caddies & Baskets	48
<b>Aqua-Flo Shower Heads</b>	<b>49</b>
Aqua-Flo Shower Heads	50
Daniel Shower Heads	51
<b>Daniel Mixers</b>	<b>52</b>
Mini	53
Smart	54
Reflex	55
Omega	56
Dream	57
Infinity	58
Fashion	59
Aqua-Flo Free Standing Bath Mixers	60
Kitchen Mixers	62
Temporized Mixers	65
Electric sensor Mixers	65
<b>Wall Panels</b>	<b>66</b>
Indoor Wall Panels	67
Outdoor Wall Panels	76
Vertex	76
<b>Tiles</b>	<b>77</b>
Wall Tiles	78
Wall Cladding	79
Floor Tiles	80



FLAVIO™



4449 / 4450


## NUFLOW WALL HUNG PAN

### Pan Specs

- Rimless Pan For Easy Cleaning
- Modern Compact Projection
- 5 Year Ceramic Guarantee

### Seat Specs

- High Quality Soft Closing Slim Seat
- Ultra Durable Urea Formaldehyde Seat
- Seat is 10 000 close-open Cycle Tested
- Quick Release Hinge for EASY CLEANING
- Rust Free Hinge (Stainless Steel Casing)
- 1 Year Manufacturers Warranty



PORTO


## TOILET NUFLOW & CISTERN

### Pan & Cistern Specs

- Rimless Pan For Easy Cleaning
- Modern Water Saving Cistern
- 3LT & 6LT Dual Flush Mechanism
- 5 Year Ceramic Guarantee
- 1 Year Flush Mechanism Warranty

### Seat Specs

- High Quality Soft Closing Slim Seat
- Ultra Durable Urea Formaldehyde Seat
- Seat is 10 000 close-open Cycle Tested
- Quick Release Hinge for EASY CLEANING
- Rust Free Hinge (Stainless Steel Casing)
- 1 Year Manufacturers Warranty



4303 / 4304


## Q-FLO WALL HUNG PAN

### Pan Specs

- Rimless Pan For Easy Cleaning
- Modern Compact Projection
- 5 Year Ceramic Guarantee

### Seat Specs

- High Quality Soft Closing Slim Seat
- Ultra Durable Urea Formaldehyde Seat
- Seat is 10 000 close-open Cycle Tested
- Quick Release Hinge for EASY CLEANING
- Rust Free Hinge (Stainless Steel Casing)
- 1 Year Manufacturers Warranty



1215A-P


## TOILET Q-FLO & CISTERN

### Pan & Cistern Specs

- Rimless Pan For Easy Cleaning
- Modern Water Saving Cistern
- 3LT & 6LT Dual Flush Mechanism
- 5 Year Ceramic Guarantee
- 1 Year Flush Mechanism Warranty

### Seat Specs

- High Quality Soft Closing Slim Seat
- Ultra Durable Urea Formaldehyde Seat
- Seat is 10 000 close-open Cycle Tested
- Quick Release Hinge for EASY CLEANING
- Rust Free Hinge (Stainless Steel Casing)
- 1 Year Manufacturers Warranty





4695 / 4694


## DURALUX WALL HUNG PAN

### Pan Specs

- Rimless Pan For Easy Cleaning
- Modern Compact Projection
- 5 Year Ceramic Guarantee

### Seat Specs

- High Quality Soft Closing Slim Seat
- Ultra Durable Urea Formaldehyde Seat
- Seat is 10 000 close-open Cycle Tested
- Quick Release Hinge for EASY CLEANING
- Rust Free Hinge (Stainless Steel Casing)
- 1 Year Manufacturers Warranty



3093 / 3410 / 4306


## BACK-TO-WALL PAN

### Pan Specs

- Closed Rim Pan For Better Hygiene
- Modern Compact Projection
- 5 Year Ceramic Guarantee

### Seat Specs

- High Quality Soft Closing Slim Seat
- Ultra Durable Urea Formaldehyde Seat
- Seat is 10 000 close-open Cycle Tested
- Quick Release Hinge for EASY CLEANING
- Rust Free Hinge (Stainless Steel Casing)
- 1 Year Manufacturers Warranty



3968 / 871


## WALL HUNG PAN

### Pan Specs

- Closed Rim Pan For Better Hygiene
- Modern Compact Projection
- 5 Year Ceramic Guarantee

### Seat Specs

- High Quality Soft Closing Slim Seat
- Ultra Durable Urea Formaldehyde Seat
- Seat is 10 000 close-open Cycle Tested
- Quick Release Hinge for EASY CLEANING
- Rust Free Hinge (Stainless Steel Casing)
- 1 Year Manufacturers Warranty



4391 / 4392 / 4393


## WALL HUNG PAN BLACK

### Pan Specs

- Rimless Pan For Easy Cleaning
- Modern Compact Projection
- 5 Year Ceramic Guarantee

### Seat Specs

- High Quality Soft Closing Slim Seat
- Ultra Durable Urea Formaldehyde Seat
- Seat is 10 000 close-open Cycle Tested
- Quick Release Hinge for EASY CLEANING
- Rust Free Hinge (Stainless Steel Casing)
- 1 Year Manufacturers Warranty







865 / 782


### BACK-TO-WALL PAN

#### Pan Specs

- Closed Rim Pan For Better Hygiene
- Modern Compact Projection
- 5 Year Ceramic Guarantee

#### Seat Specs

- High Quality Soft Closing Slim Seat
- Ultra Durable Urea Formaldehyde Seat
- Seat is 10 000 close-open Cycle Tested
- Quick Release Hinge for EASY CLEANING
- Rust Free Hinge (Stainless Steel Casing)
- 1 Year Manufacturers Warranty



3691 / 3692


### WALL HUNG PAN

#### Pan Specs

- Rimless Pan For Easy Cleaning
- Modern Compact Projection
- 5 Year Ceramic Guarantee

#### Seat Specs

- High Quality Soft Closing Slim Seat
- Ultra Durable Urea Formaldehyde Seat
- Seat is 10 000 close-open Cycle Tested
- Quick Release Hinge for EASY CLEANING
- Rust Free Hinge (Stainless Steel Casing)
- 1 Year Manufacturers Warranty



## CARE+ RANGE



3463


### ATLAS PARAPLEGIC ASSISTED MOBILITY LOW LEVEL WC SET

#### Toilet Specs

- Material: Vitreous China
- Horizontal outlet
- Easy Reach Side Flush Handle
- Low Level Raised Height Pan
- CE Compliant
- Traditional design
- Water saving Flush Mechanism
- **Seat not included**



Raised Height WCs are more comfortable and convenient to use because the toilet pans are taller in height. The extra 5cm-12cm in raised height means that it is easier and more comfortable to lower your body and sit on it. The extended height is really appreciated by wheelchair users, taller people, as well as by people that are frail, or, people who struggle with lower back pain.




ATLBXURIOT40BE

### BS 40 URINAL

#### Pan Specs

- Rim-Free Pan For Better Hygiene
- Modern Compact Projection
- Material: Vitreous China
- Includes: TOP or BACK Entry Spreader
- Includes: Wall Brackets



## TOILET INSTALLATION

Ensure plumbing is in correct position. Assemble all cistern fittings, inlet valve on side of cistern. Fit cistern to pan ensuring rubber sealing ring is in correct position and tighten bolts. NOTE: Do not use putty as sealer. Fit a flexible pan collar to the pan outlet and connect to sewer pipe. Apply thin layer of silicone sealant to floor and wall surfaces, place into position. Flush the water line. Fit the seat. Complete all plumbing connections and do flush test. Ensure correct water level is set & overflow is operating according to local by-laws and SABS specifications.

## BACK-TO-WALL INSTALLATION

Prepare water inlet and outlet heights and ensure plumbing is in correct position. Attach brackets to the floor. Place pan into position to ensure that brackets are in correct position. Remove pan and apply thin layer of silicone sealant to floor surface. Place pan back into position and fix screw to the bracket. Flush the water line. Fit double flap seat. Complete all plumbing connections and test flush to ensure all connections are watertight.

## WALL HUNG INSTALLATION

Determine pan height, prepare water inlet and outlet heights and adjust threaded rods to height of pan fixing holes. Fit floor bracket into recessed wall and floor, then complete brickwork. Alternatively complete brickwork then fit bolt-through-the-wall bracket. Threaded rods to protrude minimum 90mm from the finished wall surface. Place washers and nuts on the edge of threaded rods. Place pan into position. Locate slotted bushes on to rods, between back of pan and washer and nut. Tighten nuts. Flush the water line. Fit double flap seat. Complete all plumbing connections and test flush to ensure all connections are watertight. NOTE: Do not over tighten.

Always use silicone sealant or equivalent between the pan & the finished floor and wall surfaces for a secure & neat installation. NOTE: Warranty will not apply to any product installed with cement.








## COMPACT 40

3504011

WALL HUNG | VANITY

400 x 350 x (h) 150mm




## SPACE 80

CO01011

WALL HUNG | VANITY

800 x 450 x (h) 140mm




## MAGNA 140

MAR05011

WALL HUNG | VANITY

1415 x 550 x (h) 165mm



## BASIN INSTALLATION

Basin may be installed by alternative methods:

Option 1: Place basin level against wall surface at correct height and mark fixing hole positions. Remove basin and drill holes. Attach bolts to wall, fit basin and secure.

NOTE: Do not over tighten.

Option 2: Place basin on a vanity surface over pre-cut outlet hole. Fit waste and fasten nut under the vanity surface.

When mounted into a bathroom cabinet or vanity slab, ensure that the surface is level and secured firmly against the wall. Apply a liberal layer of silicone sealant or equivalent between the contact area of the surface and basin self-rimming surface. Place the basin into position and wipe off excess sealant and allow to dry.







**FLAVIO® COUNTERTOP BASINS WITH TAPHOLE**




## QUATTRO

A3607

COUNTER TOP | WALL HUNG

475 x 470 x (h) 165mm




## PONTI PLUS

89187

COUNTER TOP

465 x 465 x (h) 145mm




## VALARI PLUS

1927

COUNTER TOP

480 x 370 x (h) 130mm




## MANHATTAN PLUS

99487

COUNTER TOP

610 x 460 x (h) 110mm




## SENSEI

1127

COUNTER TOP | WALL HUNG

605 x 455 x (h) 180mm






# VOLTA PLUS

11187

COUNTER TOP

435 x 435 x (h)130mm














**Q-FLO**  
01187  
COUNTERTOP  
385 x 385mm x (h)




**VALERI**  
H0507  
COUNTERTOP  
480 x 365 x (h) 150mm




**AL FAYIZ WHITE**  
40187  
COUNTERTOP  
500 x 400 x (h) 150mm



**MIAMI**  
D211  
COUNTERTOP  
390 x 390 x (h) 120mm




**NEWBURY**  
A1187  
COUNTERTOP  
615 x 360 x (h) 115mm







**CIRCLET**  
58387  
COUNTERTOP  
346 x 346 x (h) 140mm




**TRIMMED R2**  
4901C  
COUNTERTOP  
415 x 415 x (h) 135mm



**PORTLAND BLACK**  
BM66187  
COUNTERTOP  
520 x 395 x (h) 130mm



**CIRCLET BLACK**  
90387  
COUNTERTOP  
346 x 346 x (h) 140mm



## INSTALLATION

Place basin on a vanity surface over pre-cut outlet hole. Fit waste and fasten nut under the vanity surface. Using silicone sealant or equivalent between the contact area of the surface and around basin edges for a secure and neat installation. Wipe off excess sealant and allow to dry.






### PLATINUM ROUND

8501C

COUNTER TOP

410 x 410 x (h) 145mm




### CIRCLET GOLD

5501C

COUNTER TOP

346 x 346 x (h) 140mm



# TIMBER *Trends*





## TALL CABINET 1200

C041-515Y-60BAZF - FOREST




WALL HUNG CAB - 300 x 250 x (h) 1400 mm

High-grade plywood PBD timber in stunning wood finish with realistic woodgrain.

- High durability stain & moisture resistant

### DESCRIPTION

This is a lovely piece of modern wall-hung Cab: The front panel has a golden ratio line to create subtle yet intriguing focal point, it helps lift the look of the weight of the cab. Adding to vivid texture of the natural concrete texture, sleek lines with simplistic pattern all these features make the cab unit a perfect mix of cool modern minimalism and sweet rustic style.



## MEDICINE CABINET 600


060-6001MY-60B-F - FOREST

High-grade plywood PBD timber in stunning wood finish with realistic woodgrain.

- Size: 600 x 180 x (h) 650mm
- High durability stain & moisture resistant
- Copper-free and anti-rust mirror
- Two adjustable wooden shelves
- Two soft-closing doors

### DESCRIPTION

The woodgrain dark grey bathroom medicine cabinet provides a stylish and practical storage solution for your toiletries and beauty products.



## MEDICINE CABINET 750


060-7001MY-60B-F - FOREST

High-grade plywood PBD timber in stunning wood finish with realistic woodgrain.

- Size: 750 x 180 x (h) 650mm
- High durability stain & moisture resistant
- Copper-free and anti-rust mirror
- Two adjustable wooden shelves
- Two soft-closing doors

### DESCRIPTION

The woodgrain dark grey bathroom medicine cabinet provides a stylish and practical storage solution for your toiletries and beauty products.






## VANITY SOFIA 400

4142 - FOREST

WALL HUNG - 400 x 210 x (h)500mm

High-grade plywood PBD timber in stunning wood finish with realistic woodgrain.

- High durability stain & moisture resistant
- BASIN - Ceramic slab basin
- COUNTERTOP - OPTION NOT AVAILABLE



### DESCRIPTION

This is a lovely piece of modern wall-hung vanity: a white, ultrathin edge basin integrated countertop with a modern and clean look. The front panel has a golden ratio line to create subtle yet intriguing focal point, it helps lift the look of the weight of the drawer.



## VANITY SOFIA 600

4143 - FOREST

WALL HUNG - 600 x 455 x (h)500mm

High-grade plywood PBD timber in stunning wood finish with realistic woodgrain.

- High durability stain & moisture resistant
- BASIN - Ceramic slab basin
- COUNTERTOP - OPTION NOT AVAILABLE



### DESCRIPTION

This is a lovely piece of modern wall-hung vanity: a white, ultrathin edge basin integrated countertop with a modern and clean look. The front panel has a golden ratio line to create subtle yet intriguing focal point, it helps lift the look of the weight of the drawer. Adding to vivid texture of the natural woodgrain, sleek lines with simplistic pattern all these features make the vanity unit a perfect mix of cool modern minimalism and sweet rustic style.



## VANITY SOFIA 750

4144 - FOREST

WALL HUNG - 750 x 455 x (h)500mm

High-grade plywood PBD timber in stunning wood finish with realistic woodgrain.

- High durability stain & moisture resistant
- BASIN - Ceramic slab basin
- COUNTERTOP - OPTION NOT AVAILABLE



### DESCRIPTION

This is a lovely piece of modern wall-hung vanity: a white, ultrathin edge basin integrated countertop with a modern and clean look. The front panel has a golden ratio line to create subtle yet intriguing focal point, it helps lift the look of the weight of the drawer. Adding to vivid texture of the natural woodgrain, sleek lines with simplistic pattern all these features make the vanity unit a perfect mix of cool modern minimalism and sweet rustic style.




## VANITY SOFIA 900

4146 - FOREST

WALL HUNG - 900 x 455 x (h)500mm

High-grade plywood PBD timber in stunning wood finish with realistic woodgrain.

- High durability stain & moisture resistant
- BASIN - Ceramic slab basin
- COUNTERTOP - OPTION NOT AVAILABLE



### DESCRIPTION

This is a lovely piece of modern wall-hung vanity: a white, ultrathin edge basin integrated countertop with a modern and clean look. The front panel has a golden ratio line to create subtle yet intriguing focal point, it helps lift the look of the weight of the drawer. Adding to vivid texture of the natural woodgrain, sleek lines with simplistic pattern all these features make the vanity unit a perfect mix of cool modern minimalism and sweet rustic style.




## VANITY OSLO 600

4475 - FOREST

WALL HUNG - 600 x 510 x (h)500mm

High-grade plywood PBD timber in stunning wood finish with realistic woodgrain.

- High durability stain & moisture resistant
- Durable Artificial Stone Countertop
- Integrated European soft-closing hardware



### DESCRIPTION

This is a lovely piece of modern wall-hung vanity: a white, ultrathin edge basin integrated countertop with a modern and clean look. The front panel has a golden ratio line to create subtle yet intriguing focal point, it helps lift the look of the weight of the drawer. Adding to vivid texture of the natural woodgrain, sleek lines with simplistic pattern all these features make the vanity unit a perfect mix of cool modern minimalism and sweet rustic style.


## VANITY OSLO 750

4478 - FOREST

WALL HUNG - 750 x 510 x (h)500mm

High-grade plywood PBD timber in stunning wood finish with realistic woodgrain.

- High durability stain & moisture resistant
- Durable Artificial Stone Countertop
- Integrated European soft-closing hardware



### DESCRIPTION

This is a lovely piece of modern wall-hung vanity: a white, ultrathin edge basin integrated countertop with a modern and clean look. The front panel has a golden ratio line to create subtle yet intriguing focal point, it helps lift the look of the weight of the drawer. Adding to vivid texture of the natural woodgrain, sleek lines with simplistic pattern all these features make the vanity unit a perfect mix of cool modern minimalism and sweet rustic style.


## VANITY OSLO 900

4480 - FOREST

WALL HUNG - 900 x 510 x (h)500mm

High-grade plywood PBD timber in stunning wood finish with realistic woodgrain.

- High durability stain & moisture resistant
- Durable Artificial Stone Countertop
- Integrated European soft-closing hardware



### DESCRIPTION

This is a lovely piece of modern wall-hung vanity: a white, ultrathin edge basin integrated countertop with a modern and clean look. The front panel has a golden ratio line to create subtle yet intriguing focal point, it helps lift the look of the weight of the drawer. Adding to vivid texture of the natural woodgrain, sleek lines with simplistic pattern all these features make the vanity unit a perfect mix of cool modern minimalism and sweet rustic style.






## VANITY OSLO 1200

4150 - FOREST

WALL HUNG - 1200 x 510 x (h)500mm

High-grade plywood PBD timber in stunning wood finish with realistic woodgrain.

- High durability stain & moisture resistant
- Durable Artificial Stone Countertop
- One spacious storage drawers
- Integrated European soft-closing hardware



This is a lovely piece of modern wall-hung vanity: a white, ultrathin edge basin integrated countertop with a modern and clean look. The front panel has a golden ratio line to create subtle yet intriguing focal point, it helps lift the look of the weight of the drawer. Adding to vivid texture of the natural woodgrain, sleek lines with simplistic pattern all these features make the vanity unit a perfect mix of cool modern minimalism and sweet rustic style.




## VANITY OSLO 1500

4147 - FOREST

WALL HUNG - 1500 x 510 x (h)500mm

High-grade plywood PBD timber in stunning wood finish with realistic woodgrain.

- High durability stain & moisture resistant
- Durable Artificial Stone Countertop
- Two spacious storage drawers
- Integrated European soft-closing hardware




This is a lovely piece of modern wall-hung vanity: a white, ultrathin edge basin integrated countertop with a modern and clean look. The front panel has a golden ratio line to create subtle yet intriguing focal point, it helps lift the look of the weight of the drawer. Adding to vivid texture of the natural woodgrain, sleek lines with simplistic pattern all these features make the vanity unit a perfect mix of cool modern minimalism and sweet rustic style.





FLAViO®



## RONDO

EM-062

### Features

- 700 x 700mm
- Mirror thickness: 5mm.
- Eco Friendly Glass Mirror
- Copper Free



## CLASSIC

EM-522

### Features

- 700 x 500mm
- Mirror thickness: 5mm.
- Eco Friendly Glass Mirror
- Copper Free



## LINEA

EML-452

### Features

- 800 x 600mm
- Mirror thickness: 5mm.
- Eco Friendly Glass Mirror
- Copper Free



## CURVY

EM-102

### Features

- 800 x 600mm
- Mirror thickness: 5mm.
- Eco Friendly Glass Mirror
- Copper Free





## ALPHA

EML-5000

### Features

- 700 x 700mm
- Touch ON/OFF button
- Moisture & Water-resistent
- Cool White LED's.
- Mirror thickness: 5mm.
- Eco Friendly Glass Mirror
- Copper Free




## BRAVO

EML-4000

### Features

- 700 x 700mm
- Touch ON/OFF button
- De-Fogger
- LED Display Clock
- Moisture & Water-resistent
- Cool White LED's.
- Mirror thickness: 5mm.
- Eco Friendly Glass Mirror



## CHARLIE SWIRL

EML-3000

Limited stock available

### Features

- 800 x 800 x (h)50mm
- Touch ON/OFF button
- De-Fogger
- Moisture & Water-resistent
- Cool White LED's.
- Mirror thickness: 5mm.
- Eco Friendly Glass Mirror
- Copper Free



## DELTA ARCH

EML-2000

### Features

- 900 x 900mm
- Touch ON/OFF button
- De-Fogger
- Moisture & Water-resistent
- Cool White LED's.
- Mirror thickness: 5mm.
- Eco Friendly Glass Mirror
- Copper Free




## GOFFER

EML-080

### Features

- 700 x 700mm
- Touch ON/OFF button
- Moisture & Water-resistent
- Cool White LED's.
- Mirror thickness: 5mm.
- Eco Friendly Glass Mirror
- Copper Free






## DURA LUX

EML-2351

### Features

- 700 x 700mm
- Touch ON/OFF button
- De-Fogger
- Moisture & Water-resistent
- Cool White LED's.
- Mirror thickness: 5mm.
- Eco Friendly Glass Mirror
- Copper Free




## FOX

EML-008-990

### Features

- 800 x 600mm
- Touch ON/OFF button
- Moisture & Water-resistent
- Cool White LED's.
- Mirror thickness: 5mm.
- Eco Friendly Glass Mirror
- Copper Free



## FOX

EML-0021-990 - 1200 x 600mm

EML-0041-990 - 1400 x 700mm

### Features

- Touch ON/OFF button
- Moisture & Water-resistent
- Cool White LED's.
- Mirror thickness: 5mm.
- Eco Friendly Glass Mirror
- Copper Free



# aqua-tec

by FLAVIO®





## PREMIUM 90

ET4101S


### Dimensions

- B: 875mm (Extendable to 900mm)
- Glass Height: 1900 mm
- Glass Thickness: 8 mm

### Side Panel

- A: 875mm (Extendable to 900mm)
- Glass Thickness: 5 mm

- Includes door and side panel
- Semi framed design
- Magnetic gel seals provide a watertight door
- All glazing and sealing gaskets made of PVC material
- anti-fungus agents preventing mildew and grime build up



## INSTALLATION

### Tools needed:

Drill machine, Ceramic diamond drill bit, Concrete drill bit, Spirit level & Silicone. Prepare by placing shower door in position, make sure its level. Mark places for drilling. Remove frame. TIP: Place adhesive type over tile and drill through it to protect tile. Place wall anchors. Add silicone to channels and place in place. Fasten screws. Insert door. Always use silicone sealant between the shower door and the finished floor and wall surfaces for a secure, waterproof and neat installation. NOTE: Leave to dry for 24 hours.



## ADJUSTABLE PIVOT

ET1A031S


### Dimensions

- A: 730mm (Extendable to 860mm)
- B: 830mm (Extendable to 850mm)
- Glass Height: 1850 mm
- Door Glass Thickness: 6 mm
- Side Panel Glass Thickness: 4 mm

### Variants

- A: 870mm - (Extendable to 890mm)
- B: 970mm - (Extendable to 990mm)

- Includes door and side panel
- Semi framed design
- Magnetic gel seals provide a watertight door
- All glazing and sealing gaskets made of PVC material
- anti-fungus agents preventing mildew and grime build up



## INSTALLATION

### Tools needed:

Drill machine, Ceramic diamond drill bit, Concrete drill bit, Spirit level & Silicone. Prepare by placing shower door in position, make sure its level. Mark places for drilling. Remove frame. TIP: Place adhesive type over tile and drill through it to protect tile. Place wall anchors. Add silicone to channels and place in place. Fasten screws. Insert door. Always use silicone sealant between the shower door and the finished floor and wall surfaces for a secure, waterproof and neat installation. NOTE: Leave to dry for 24 hours.




## QUADRANT

ET0301S

### Dimensions

- A: 865mm (Extendable to 890mm)
- B: 550mm (Shower Opening)
- Glass Height: 1850 mm
- Door Glass Thickness: 6 mm

- Semi framed design
- Easy glide doors provide easy access
- Magnetic gel seals provide a watertight door
- PVC double rollers for smooth gliding action & durability
- Clip function for easy cleaning
- Adjustable wheels for perfect alignment of sliding panels
- All glazing and sealing gaskets made of PVC material
- anti-fungus agents preventing mildew and grime build up



## INSTALLATION

### Tools needed:

Drill machine, Ceramic diamond drill bit, Concrete drill bit, Spirit level & Silicone. Prepare by placing shower door in position, make sure its level. Mark places for drilling. Remove frame. TIP: Place adhesive type over tile and drill through it to protect tile. Place wall anchors. Add silicone to channels and place in place. Fasten screws. Insert door. Always use silicone sealant between the shower door and the finished floor and wall surfaces for a secure, waterproof and neat installation. NOTE: Leave to dry for 24 hours.



## BI-SLIDER DOOR 1200

ET0501S


### Dimensions

- A: 1160mm (Extendable to 1210mm)
- B: 865mm - (Extendable to 890mm)
- Glass Height: 1850 mm
- Glass Thickness: 6 mm

### Variants

- B2: 965mm - (Extendable to 1000mm)
- Side Panel Glass Thickness: 5 mm + 6mm

- Easy glide doors provide easy access
- PVC double rollers for smooth gliding action & durability
- Clip function for easy cleaning
- Adjustable wheels for perfect alignment off sliding panels
- All glazing and sealing gaskets made of PVC material
- anti-fungus agents preventing mildew and grime build up
- can be fitted to wall or with side panel



## INSTALLATION

Tools needed:

Drill machine, Ceramic diamond drill bit, Concrete drill bit, Spirit level & Silicone. Prepare by placing shower door in position, make sure its level. Mark places for drilling. Remove frame. TIP: Place adhesive type over tile and drill through it to protect tile. Place wall anchors. Add silicone to channels and place in place. Fasten screws. Insert door. Always use silicone sealant between the shower door and the finished floor and wall surfaces for a secure, waterproof and neat installation. NOTE: Leave to dry for 24 hours.



## CORNER ENTRY

ET0101S


### Dimensions

- A: 865mm (Extendable to 890mm)
- B: 503mm (Shower Opening)
- Glass Height: 1850 mm
- Glass Thickness: 6 mm

### Variants

- Chrome - ET0101S
- Matt Black - ET0101S-900MMB

- Semi framed design
- Easy glide doors provide easy access
- Magnetic gel seals provide a watertight door
- PVC double rollers for smooth gliding action & durability
- Clip function for easy cleaning
- Adjustable wheels for perfect alignment off sliding panels
- All glazing and sealing gaskets made of PVC material
- anti-fungus agents preventing mildew and grime build up



## INSTALLATION

Tools needed:

Drill machine, Ceramic diamond drill bit, Concrete drill bit, Spirit level & Silicone. Prepare by placing shower door in position, make sure its level. Mark places for drilling. Remove frame. TIP: Place adhesive type over tile and drill through it to protect tile. Place wall anchors. Add silicone to channels and place in place. Fasten screws. Insert door. Always use silicone sealant between the shower door and the finished floor and wall surfaces for a secure, waterproof and neat installation. NOTE: Leave to dry for 24 hours.



## INWARD SLIDING 90

BP60L2-R


### Dimensions

- A: 880mm (Extendable to 900mm)
- B: 880mm (Extendable to 900mm)
- Glass Height: 1850 mm
- Glass Thickness: 8 mm

### Variants

- Right: BP60L2-R
- Left: BP60L2-L

- includes door and panel
- Semi frameless design
- Magnetic gel seals provide a watertight door
- All glazing and sealing gaskets made of PVC material
- anti-fungus agents preventing mildew and grime build up
- Declining hinge to off excellent seal below the door



Limited stock available



## INSTALLATION

Tools needed:

Drill machine, Ceramic diamond drill bit, Concrete drill bit, Spirit level & Silicone. Prepare by placing shower door in position, make sure its level. Mark places for drilling. Remove frame. TIP: Place adhesive type over tile and drill through it to protect tile. Place wall anchors. Add silicone to channels and place in place. Fasten screws. Insert door. Always use silicone sealant between the shower door and the finished floor and wall surfaces for a secure, waterproof and neat installation. NOTE: Leave to dry for 24 hours.



## FRAMELESS CUBICAL


ETA1082S

### Dimensions

- A: 865mm (Extendable to 890mm)
- B: 865mm (Extendable to 890mm)
- Glass Height: 2000 mm
- Glass Thickness: 8 mm

### Variants

- A: 965mm - (Extendable to 990mm)
- B: 965mm - (Extendable to 990mm)
- includes door and panel
- Semi frameless design
- Magnetic gel seals provide a watertight door
- All glazing and sealing gaskets made of PVC material
- anti-fungus agents preventing mildew and grime build up
- Declining hinge to off excellent seal below the door



## INSTALLATION

### Tools needed:

Drill machine, Ceramic diamond drill bit, Concrete drill bit, Spirit level & Silicone. Prepare by placing shower door in position, make sure its level. Mark places for drilling. Remove frame. TIP: Place adhesive type over tile and drill through it to protect tile. Place wall anchors. Add silicone to channels and place in place. Fasten screws. Insert door. Always use silicone sealant between the shower door and the finished floor and wall surfaces for a secure, waterproof and neat installation. NOTE: Leave to dry for 24 hours.



## 90 CUBICAL BLACK


A066

### Dimensions

- A: 890mm (Extendable to 900mm)
- B: 890mm (Extendable to 900mm)
- Glass Height: 2000 mm
- Glass Thickness: 8 mm

### Variants

- 
- 
- includes door and panel
- Semi frameless design
- Magnetic gel seals provide a watertight door
- All glazing and sealing gaskets made of PVC material
- anti-fungus agents preventing mildew and grime build up
- Declining hinge to off excellent seal below the door



## INSTALLATION

### Tools needed:

Drill machine, Ceramic diamond drill bit, Concrete drill bit, Spirit level & Silicone. Prepare by placing shower door in position, make sure its level. Mark places for drilling. Remove frame. TIP: Place adhesive type over tile and drill through it to protect tile. Place wall anchors. Add silicone to channels and place in place. Fasten screws. Insert door. Always use silicone sealant between the shower door and the finished floor and wall surfaces for a secure, waterproof and neat installation. NOTE: Leave to dry for 24 hours.



## FRAMELESS SLIDING


B054

### Dimensions

- A: 1250 mm
- B: 950 mm
- Glass Height: 1900 mm
- Glass Thickness: 8 mm

### Variants

- Chrome - B054
- Matt Black - B054MB
- Old Brass - B054-OB
- Easy glide doors provide easy access
- PVC double rollers for smooth gliding action & durability
- Clip function for easy cleaning
- Adjustable wheels for perfect alignment off sliding panels
- All glazing and sealing gaskets made of PVC material
- anti-fungus agents preventing mildew and grime build up
- can be fitted to wall or with side panel



## INSTALLATION

### Tools needed:

Drill machine, Ceramic diamond drill bit, Concrete drill bit, Spirit level & Silicone. Prepare by placing shower door in position, make sure its level. Mark places for drilling. Remove frame. TIP: Place adhesive type over tile and drill through it to protect tile. Place wall anchors. Add silicone to channels and place in place. Fasten screws. Insert door. Always use silicone sealant between the shower door and the finished floor and wall surfaces for a secure, waterproof and neat installation. NOTE: Leave to dry for 24 hours.





## FRAMELESS SLIDING


B054-MB

### Dimensions

- A: 1250 mm
- B: 950 mm
- Glass Height: 1900 mm
- Glass Thickness: 8 mm

### Variants

- Chrome - B054
- Matt Black - B054MB
- Easy glide doors provide easy access
- PVC double rollers for smooth gliding action & durability
- Clip function for easy cleaning
- Adjustable wheels for perfect alignment off sliding panels
- All glazing and sealing gaskets made of PVC material
- anti-fungus agents preventing mildew and grime build up
- can be fitted to wall or with side panel



## INSTALLATION

Tools needed:

Drill machine, Ceramic diamond drill bit, Concrete drill bit, Spirit level & Silicone. Prepare by placing shower door in position, make sure its level. Mark places for drilling. Remove frame. TIP: Place adhesive type over tile and drill through it to protect tile. Place wall anchors. Add silicone to channels and place in place. Fasten screws. Insert door. Always use silicone sealant between the shower door and the finished floor and wall surfaces for a secure, waterproof and neat installation. NOTE: Leave to dry for 24 hours.



## DIAMOND CUBICAL

A33


Limited stock available

### Dimensions

- A: 480mm (Extendable to 500mm)
- B: 670mm
- C: 480mm (Extendable to 500mm)
- Glass Height: 2000 mm
- Glass Thickness: 8 mm

### Variants


- 
- 
- Semi frameless design
- Magnetic gel seals provide a watertight door
- All glazing and sealing gaskets made of PVC material
- anti-fungus agents preventing mildew and grime build up



## INSTALLATION

Tools needed:

Drill machine, Ceramic diamond drill bit, Concrete drill bit, Spirit level & Silicone. Prepare by placing shower door in position, make sure its level. Mark places for drilling. Remove frame. TIP: Place adhesive type over tile and drill through it to protect tile. Place wall anchors. Add silicone to channels and place in place. Fasten screws. Insert door. Always use silicone sealant between the shower door and the finished floor and wall surfaces for a secure, waterproof and neat installation. NOTE: Leave to dry for 24 hours.



## FRAMELESS GRID PANEL


F05P1

### Dimensions

- A: 1200 mm
- Glass Height: 2000 mm
- Glass Thickness: 8 mm

### Variants


- A: 1400 mm
- Glass Thickness: 8 mm
- Semi frameless design
- Wall channel with 40mm adjustment
- 1200mm adjustable stabilizer arm
- All glazing and sealing gaskets made of PVC material
- Anti-fungus agents preventing mildew and grime build up



## INSTALLATION

Tools needed:

Drill machine, Ceramic diamond drill bit, Concrete drill bit, Spirit level & Silicone. Prepare by placing shower door in position, make sure its level. Mark places for drilling. Remove frame. TIP: Place adhesive type over tile and drill through it to protect tile. Place wall anchors. Add silicone to channels and place in place. Fasten screws. Insert door. Always use silicone sealant between the shower door and the finished floor and wall surfaces for a secure, waterproof and neat installation. NOTE: Leave to dry for 24 hours.



## FRAMELESS PANEL


SH2004

### Dimensions

- A: 1200 mm
- Glass Height: 2000 mm
- Glass Thickness: 6 mm

### Variants


- A: 1400 mm | Glass Thickness: 8mm
- A: 1600 mm | Glass Thickness: 10mm
- Semi frameless design
- Wall channel with 40mm adjustment
- 1200mm adjustable stabilizer arm
- All glazing and sealing gaskets made of PVC material
- Anti-fungus agents preventing mildew and grime build up



## INSTALLATION

Tools needed:

Drill machine, Ceramic diamond drill bit, Concrete drill bit, Spirit level & Silicone. Prepare by placing shower door in position, make sure its level. Mark places for drilling. Remove frame. TIP: Place adhesive type over tile and drill through it to protect tile. Place wall anchors. Add silicone to channels and place in place. Fasten screws. Insert door. Always use silicone sealant between the shower door and the finished floor and wall surfaces for a secure, waterproof and neat installation. NOTE: Leave to dry for 24 hours.



## WALK-IN PREMIUM


P6082S

### Dimensions

- A: 985mm (Extendable to 1010mm)
- B: 300mm (with swing Mechanism)
- C: 965mm (Extendable to 990mm)
- Glass Height: 2000 mm
- Glass Thickness: 6 mm

### Variants

- A: 1185mm (Extendable to 1210mm)
- Semi frameless design
- Wall channel with 40mm adjustment
- 1200mm adjustable stabilizer arm
- All glazing and sealing gaskets made of PVC material
- Anti-fungus agents preventing mildew and grime build up



## INSTALLATION

Tools needed:

Drill machine, Ceramic diamond drill bit, Concrete drill bit, Spirit level & Silicone. Prepare by placing shower door in position, make sure its level. Mark places for drilling. Remove frame. TIP: Place adhesive type over tile and drill through it to protect tile. Place wall anchors. Add silicone to channels and place in place. Fasten screws. Insert door. Always use silicone sealant between the shower door and the finished floor and wall surfaces for a secure, waterproof and neat installation. NOTE: Leave to dry for 24 hours.



## CUSTOM FRAMELESS

### SPECIAL ORDER

Frameless showers greatly enhance your bathroom, allowing the tiles to remain focal while giving the shower a clean presence. The uninterrupted view creates an illusion of space, making small spaces feel exceptionally comfortable. We customise to suite your needs, big or small, we have done them all. Also suitable for steam rooms, wine cellars, swimming pool balustrade, step & balcony balustrade. Available in coloured glass, frosted or partially frosted.




## BATH SCREEN

ET7082S

### Dimensions

- A: 850 mm
- Glass Height: 1400 mm
- Glass Thickness: 6 mm
- Includes polished stainless steel towel rail



### INSTALLATION

#### Tools needed:

Drill machine, Ceramic diamond drill bit, Concrete drill bit, Spirit level & Silicone.

Prepare by placing shower door in position, make sure its level. Mark places for drilling. Remove frame. TIP: Place adhesive type over tile and drill through it to protect tile. Place wall anchors. Add silicone to channels and place in place. Fasten screws. Insert door. Always use silicone sealant between the shower door and the finished floor and wall surfaces for a secure, waterproof and neat installation. NOTE: Leave to dry for 24 hours.

## FRAMELESS SEALS 6-8mm

- 102 - Bubble seals 2500mm
- 103 - Inline seals 2500mm
- 104 - 90° seals 2500mm
- 105 - Brip seals 1000mm



## RECOMMENDED EXTRAS



Clear mould resistant silicone to seal shower frames





Filter trap for shower tray with male-end 40 - 50mm suitable for 40-50 pvc adaptor



## AQUATEC SPARES

- SP0001 - Twin wheel
- SP0002 - Single wheel
- SP0003 - Glass fixer
- SP0004 - Axis seat pin
- SP0005 - Vertical seal
- SP0006 - Magnet strip
- SP0006 - Bottom seal
- SP0008 - Wheel stopper
- SP0009 - Channel for shower
- SP0010 - CE top frame
- 01136 - Premium side
- SH3002 - Fixed panel corner
- SP3003 - Door corner entry
- SH3004 - Fixed panel quadrant








FLAViO®






## NUFLOW BATHTUB

SRBT084

- SPECIFICATIONS**
- Size: 1700x800x490mm
- Water capacity: 220L
- Overflow: With overflow
- Material: Sanitary Grade Acrylic
- Colour: White
- Finish: Gloss
- Format: Fitted/Inset Bath
- Warranty: 10 Years

FLAVIO®




## Q-FLO BATHTUB

SRB060

- SPECIFICATIONS**
- Size: 1700x700x460mm
- Water capacity: 180L
- Overflow: With overflow
- Material: Sanitary Grade Acrylic
- Colour: White
- Finish: Gloss
- Format: Fitted/Inset Bath
- Warranty: 10 Years

FLAVIO®




## VALERI BATHTUB

SRB087

- SPECIFICATIONS**
- Size: 1800x800x440mm
- Water capacity: 190L
- Overflow: With overflow
- Material: Sanitary Grade Acrylic
- Colour: White
- Finish: Gloss
- Format: Fitted/Inset Bath
- Warranty: 10 Years

FLAVIO®



## SUPERO BATHTUB

55413011

- SPECIFICATIONS**
- Size: 1700x750x435mm
- Water capacity: 210L
- Overflow: With overflow
- Material: Sanitary Grade Acrylic
- Colour: White
- Finish: Gloss
- Format: Fitted/Inset Bath
- Warranty: 10 Years

GEBERIT






## ANGARA BATHTUB

SRB028

- **SPECIFICATIONS**
- Size: 1300x1450x400mm
- Water capacity: 230L
- Overflow: With overflow
- Material: Sanitary Grade Acrylic
- Colour: White
- Finish: Gloss
- Format: Fitted/Inset Corner Bath
- Angle: Equal
- Warranty: 10 Years

FLAVIO®




## TANAKA BATHTUB

SRBT034

- **SPECIFICATIONS**
- Size: 1700x800x540mm
- Water capacity: 200L
- Overflow: No overflow
- Material: Sanitary Grade Acrylic
- Colour: White
- Finish: Gloss
- Format: Freestanding (Skirted)
- Wall: Double Wall
- Warranty: 10 Years

FLAVIO®




## VALERI BATHTUB

SRB086

- **SPECIFICATIONS**
- Size: 1700x750x600mm
- Water capacity: 200L
- Overflow: No overflow
- Material: Sanitary Grade Acrylic
- Colour: White
- Finish: Gloss
- Format: Freestanding
- Wall: Double Wall
- Warranty: 10 Years

FLAVIO®



## FORMOSA BATHTUB

- **SPECIFICATIONS**
- Size: 1700x800x590mm
- Water capacity: 200L
- Overflow: No overflow
- Material: Sanitary Grade Acrylic
- Colour: White
- Finish: Gloss
- Format: Freestanding
- Wall: Double Wall
- Warranty: 10 Years

FLAVIO®





sirene<sup>®</sup>  
unwind in style



*Lifetime Warranty*

*The world's most luxurious  
bathtub material since 1998*








### DOMINUS BATHTUB

SBM104NOFGW

- **SPECIFICATIONS**
- Size: 1500x720x475mm
- Waste to floor: 146mm
- Water capacity: 195L
- Overflow: No overflow
- Material: DADOquartz®
- Colour: White/Custom
- Finish: Matte/Polished
- Rim width: 10mm
- Waste diameter: 50mm
- Warranty: Lifetime

Lifetime Warranty  
The world's most luxurious  
bathtub material since 1995




### SOVEREIGN BATHTUB

SMB141NOFGW

- **SPECIFICATIONS**
- Size: 1550x720x475mm
- Waste to floor: 130mm
- Water capacity: 218L
- Overflow: No overflow
- Material: DADOquartz®
- Colour: White/Custom
- Finish: Matte/Polished
- Rim width: 10mm
- Waste diameter: 50mm
- Warranty: Lifetime

Lifetime Warranty  
The world's most luxurious  
bathtub material since 1998





### AMSTERDAM BATHTUB SBM060-1700NOFGW

- **SPECIFICATIONS**
- Size: 1665x750x475mm
- Waste to floor: 125mm
- Water capacity: 250L
- Overflow: No overflow
- Material: DADOquartz®
- Colour: White/Custom
- Finish: Matte/Polished
- Rim width: 25mm
- Waste diameter: 50mm
- Warranty: Lifetime

*Lifetime Warranty*  
The world's most luxurious  
bathtub material since 1998



### VIVIAN BATHTUB SRB028

- **SPECIFICATIONS**
- Size: 1595x730x475mm
- Waste to floor: 25mm
- Water capacity: 260L
- Overflow: No overflow
- Material: DADOquartz®
- Colour: White/Custom
- Finish: Matte/Polished
- Rim width: 12mm
- Waste diameter: 50mm
- Warranty: Lifetime


*Lifetime Warranty*  
The world's most luxurious  
bathtub material since 1998



# JENSEN

## Nordica

10 YEAR GUARANTEE







Double Robe Hook  
*Brass Chrome Plated*

**5805B**



Tumbler Holder  
*Brass Chrome Plated*

**5806**



Paper Holder  
*Brass Chrome Plated*

**5809**



Towel Ring  
*Brass Chrome Plated*

**5810**



Soap Holder  
*Brass Chrome Plated*

**5808**



Soap Basket  
*Brass Chrome Plated*

**5814**



Toilet Brush Holder  
*Brass Chrome Plated*

**5812**



Soap Dispenser  
*Brass Chrome Plated*

**5811**



Single Towel Rail  
*Brass Chrome Plated*

**5801**



Double Towel Rail  
*Brass Chrome Plated*

**5802**



Towel Rack  
*Brass Chrome Plated*

**5804**



Glass Shelf  
*Brass Chrome Plated*

**5813**



Double Robe Hook  
Brass | Chrome Plated

**5505**



Tumbler Holder  
Chrome Plated

**5506**



Paper Holder  
Brass | Chrome Plated

**5509**



Towel Ring  
Brass | Chrome Plated

**5510**



Soap Holder  
Chrome Plated

**5508**



Soap Basket  
Brass Chrome Plated

**5514**



Toilet Brush Holder  
Brass Chrome Plated

**5512**



Soap Dispenser  
Chrome Plated

**5511**



Single Towel Rail  
Brass | Chrome Plated

**5501**



Double Towel Rail  
Brass Chrome Plated

**5502**



Towel Rack  
Chrome Plated

**5504**



Glass Shelf  
Chrome Plated

**5513**



Double Robe Hook  
*Brass Chrome Plated*

**1905-B**



Tumbler Holder  
*Brass Chrome Plated*

**1906**



Paper Holder  
*Brass Chrome Plated*

**1909-1**



Towel Ring  
*Brass Chrome Plated*

**1910**



Soap Holder  
*Brass Chrome Plated*

**1908**



Soap Basket  
*Brass Chrome Plated*

**1914**



Toilet Brush Holder  
*Brass Chrome Plated*

**1912**



Soap Dispenser  
*Brass Chrome Plated*

**1911**



Single Towel Rail  
*Brass Chrome Plated*

**1901**



Double Towel Rail  
*Brass Chrome Plated*

**1902**



Towel Rack  
*Brass Chrome Plated*

**1904**



Glass Shelf  
*Brass Chrome Plated*

**1913**



The ONE Collection from Jensen Nordica is a carefully constructed product, made from grade 304 Stainless Steel. Available in a round /cylindrical finish (Circa) or in a square finish (Cube) The steel is polished to give a chrome like finish. No plating means no possibility of any flaking! Best of all, the stainless steel means you never have to worry about rust!



Double Robe Hook  
*Polished Stainless Steel*

**30253B**



Tumbler Holder  
*Polished Stainless Steel*

Limited stock available

**30258**



Paper Holder  
*Polished Stainless Steel*

**30251**



Towel Ring  
*Polished Stainless Steel*

**30260**



Soap Holder  
*Polished Stainless Steel*

**30269**



Soap Basket  
*Polished Stainless Steel*

**30259**



Toilet Brush Holder  
*Polished Stainless Steel*

**30294**



Double Towel Rail  
*Polished Stainless Steel*

**30248**



Single Towel Rail  
*Polished Stainless Steel*

**30224**



Towel Rack  
*Polished Stainless Steel*

Limited stock available

**30200**





Double Robe Hook  
Brass Chrome Plated

**30753B**



Tumbler Holder  
Brass Chrome Plated

Limited stock available

**30758**



Paper Holder  
Brass Chrome Plated

**30751**



Towel Ring  
Brass Chrome Plated

**30760**



Soap Holder  
Brass Chrome Plated

Limited stock available

**30769**



Soap Dispenser  
Brass Chrome Plated

**30796**



Toilet Brush Holder  
Brass Chrome Plated

**30794**



Double Towel Rail  
Brass Chrome Plated

**30748**



Single Towel Rail  
Brass Chrome Plated

**30724**



Glass Shelf  
Brass Chrome Plated

Limited stock available

**30791**



Towel Rack  
Brass Chrome Plated

**30700**



Rectangular Caddy  
*Polished Stainless Steel*

**3638**



Corner Caddy  
*Polished Stainless Steel*

**3637**



Rectangular Caddy  
*Matt Black Stainless Steel*

**3638MB**



Corner Caddy  
*Matt Black Stainless Steel*

**3637MB**



Rectangular Caddy  
*Old Brass Stainless Steel*

**3638OB**



Corner Caddy  
*Old Brass Stainless Steel*

**3637OB**



Shower Shelf  
*Polished Stainless Steel*

**3640CH**



Shower Shelf  
*Matt Black Stainless Steel*

**3640MB**



# aqua-flo

by FLAVIO®





Ultra slim polished stainless steel shower head Ø20 cm.

**C2008-SLF**



Ultra slim polished stainless steel shower head 20x20 cm

**C1008-SLF**



Chrome plated Brass shower head, Ø25 cm, with silicon selfcleaning antilimestone jets.

**478-SLF**



Matt Black plated Brass shower head, Ø25 cm, with silicon selfcleaning antilimestone jets.

**478-SLFMB**



Chrome plated Brass shower head, 25x25 cm, with silicon selfcleaning antilimestone jets.

**1018-SLF**



Matt Black plated Brass shower head, 25x25 cm, with silicon selfcleaning antilimestone jets.

**1018-SLFMB**



Round 40cm shower arm, complete with square wall flange 1/2Mx1/2M, all in Chrome plated brass.

**C108-SLF**



Squared 40cm shower arm, complete with square wall flange 1/2Mx1/2M, all in Chrome plated brass.

**F1-108-SLF**



Round 40cm shower arm, complete with square wall flange 1/2Mx1/2M, all in Matt black plated brass.

**C108-SLFMB**



Squared 40cm shower arm, complete with square wall flange 1/2Mx1/2M, all in Matt black plated brass.

**F1-108-SLFMB**





Cp Showerhead anti-limestone 2 functions with ball-joint.

**A560**



Showerhead completely in c.p. brass, with 144 jets in soft silicon, selfcleaning and anti-limestone, 20x20 cm

**A590**



Showerhead in chrome, 4 functions anti-limestone jet, with ball joint.

**A575**



Cartridge Ø25 mm for Serie Oxy

**A845**



Ceramic cartridge Ø40 mm (type with distributor)

**A810**



Ceramic cartridge Ø40 mm (flat bottom type)

**A815**



Cartridge Ø35 mm type "joystick" (flat bottom type)

**A835**



Head valve 90° ceramic disk, broach Ø8 mm, right

**A852 DX**



Head valve 90° ceramic disks with long rod Revival.

**A853 DX**



Head valve 90° ceramic disk, broach Ø8 mm, left

**A850 DX**



Ø25 mm Ceramic cartridge (opened type).

**A846**



Ceramic cartridge Ø35 mm (type with distributor)

**A820**



Ceramic cartridge Ø35 mm (flat bottom type)

**A825**



Ceramic cartridge Ø35 mm for mixer (flat bottom type).

**A821**



Head valve broach 8x20

**A851**



Automatic brass diverter with spring & lock for low pressure.

**A870 DE**



Head valve 90° ceramic disk, broach Ø8 mm, right

**A850 SX**

# DANIEL

## RUBINETTERIE

MILANO

 MADE IN ITALY





Single-lever basin mixer  
Height: 11.5cm  
Interaxis: 10cm

**M16606**



Built-in shower mixer  
with built-in components

**M16602**



Exposed Bath mixer  
with shower kit, flexible  
120cm.

**M16610**





The SMART collection is a line of young faucets that complete the bathroom and kitchen furnishings with notes of simplicity and elegance. The flat and parallel surfaces of lever and mouth express a modern design, while the opening on the handle lightens and characterizes the whole series. In its simplicity, SMART can satisfy all bathroom compositions thanks to the different solutions of both built-in and countertop basin mixers, as well as multi-way mixers for bath and shower. Also the SMART proposal dedicated to kitchen stands out for its completeness, a wide range of options which is able to meet every need of price, functionality and aesthetics. Some kitchen mixers of the SMART line are also available in the version with integrated Touch-Me technology. Design by Cristian Mapelli



Single-lever basin mixer

Height: 15cm

Interaxis: 10.7cm

**SR606**



Built-in shower mixer  
with built-in components

**SR602**



Single-lever Tall basin mixer

Height: 30cm

Interaxis: 18.2cm

**SR607B**



Built-in shower mixer-diverter  
with built-in components

**SR612**



Exposed Bath mixer  
with shower kit, flexible  
120cm.

**SR610**



Single-lever sink mixer 90°  
with high movable spout  
Height: 33cm - Interaxis: 17cm

**SR618**



Reflex is a faucet collection of modern and original single-lever mixers. The faceted surfaces reflect the surrounding light like precious stones and make Reflex a valuable detail in any style of furniture. The series is equipped with a Ø 35 mm ceramic disc cartridge.



Single-lever basin mixer  
Height: 12cm  
Interaxis: 11cm

**RX606CR**



Built-in shower mixer  
with built-in components

**RX602CR**



Single-lever high basin mixer  
Height: 17cm  
Interaxis: 13cm

**RX607CR**



Built-in shower mixer-diverter  
with built-in components

**RX612CR**



Wall Mounted Bath mixer  
with integrated diverter,  
flexible hose cm 150 & 4  
functions handshower with  
button to change jets.

**RX610CR**



Built-in spout  
Height: 10cm  
Interaxis: 18.5cm

**RX4704CR**



Single-lever sink mixer 90°  
with high movable spout  
Height: 32cm - Interaxis: 21.5cm

**RX618UCR**



Single-lever sink mixer  
with high swivel spout and  
2-functions pull-out hand shower.  
with high movable spout  
Height: 38cm - Interaxis: 20cm

**RX684DJCR**



The soft and round lines of OMEGA collection alternate with flat and reflective surfaces, drawing a clear parallel between spout and mixer lever and defining the essential aesthetics profiles. A series with attention to every detail, such as the aerator protection shield in bidet mixer, able to satisfy the style demands even in low budget projects. Design by Cristian Mapelli



Single-lever basin mixer  
Height: 12cm  
Interaxis: 11cm

**OM606**



Built-in shower mixer  
with built-in components

**OM602**



Single-lever high basin mixer  
Height: 17cm  
Interaxis: 13cm

**OM607B**



Built-in shower mixer-diverter  
with built-in components

**OM612**



Single-lever Tall basin mixer  
Height: 30cm  
Interaxis: 18cm

**OM607X**



Exposed Bath mixer  
with shower kit, flexible  
120cm.

**OM610**



Built-in bidet mixer  
with trigger spray shower,  
& built-in components

**OM645**





### Available Finishes



DREAM is the ideal combination of curved lines and stiff facets. The presence of frontal faceted surfaces like diamonds characterizes the design of all elements. The result is a perfect aesthetic harmony, enhanced by multiple ambient light reflections differentiating the series from any other product on the market. Design By Cristian Mapelli



Single-lever basin mixer  
Height: 12cm  
Interaxis: 11 cm

**DR606**



Built-in shower mixer  
with built-in components

**DR602**



Tall Single-lever basin mixer  
Height: 30cm  
Interaxis: 18cm

**DR607B**



Built-in shower mixer-diverter  
with built-in components

**DR612**



Exposed Bath mixer  
with shower kit, flexible  
120cm.

**DR610**



INFINITY is the ideal combination of curved lines and stiff facets. The presence of frontal faceted surfaces like diamonds characterizes the design of all elements. The result is a perfect aesthetic harmony, enhanced by multiple ambient light reflections differentiating the series from any other product on the market. Design By Cristian Mapelli



Single-lever basin mixer  
Height: 16.7cm  
Interaxis: 12cm

**IR606**



Built-in shower mixer  
with built-in components

**IR602**



Single-lever Tall basin mixer  
Height: 29.8cm  
Interaxis: 18.5cm

**IR607**



Built-in shower mixer-diverter  
with built-in components

**IR612**



Exposed Bath mixer  
with shower kit, flexible  
120cm.

**IR610**



Single-lever bidet mixer  
Height: 14.2cm  
Interaxis: 11.4cm

**IR604**



Single-lever basin mixer  
Height: 12cm  
Interaxis: 11 cm

**AU2R606**



Built-in shower mixer  
with built-in components

**AU2R602**



Single-lever high L basin mixer  
Height: 32.2cm Interaxis: 18.5cm

**AU2R607B**



Built-in bath/ shower mixer-  
diverter  
with built-in components

**AU2R612**



Wall Mounted Bath mixer  
Single-lever built-in shower  
mixer with shower kit.

**AU2R610**



Single-lever sink mixer  
with click clack waste, short "U"  
movable spout, luxury type  
Height: 32cm - Interaxis: 21.5cm

**AU2R605R**









## OMEGA

KB2-34020-FD - (MATT BLACK)  
2-34020-FD - (CHROME)

The Omega freestanding Mixer is an elegant addition to your freestanding bathtub, while complementing the look of your bathroom. Easily connect to your water source below the finished floor. Make your bath the best part of your day.

- Solid brass construction
- Finishes: Chrome / Matt Black Platted
- Ceramic disc cartridge
- Swivel spout
- Sleek single function wand
- Flow rate: Max 16 GPM (tub spout)
- Flow rate: 2.5 GPM (hand shower)
- Handshower Functions: Spray
- Ceramic disc cartridge



## DREAM

63020-FD - (CHROME)

With an elegant and modern style, The Dream Freestanding Bath mixer features a stunning design with an L-shaped spout and hand shower. The smooth design and sleek curves make this a perfect fit for any modern freestanding bathtub.

- Solid brass construction
- Finishes: Chrome Platted
- Ceramic disc cartridge
- Swivel spout
- Sleek single function wand
- Flow rate: Max 1.8 GPM (tub spout)
- Flow rate: 2.5 GPM (hand shower)
- Handshower Functions: Spray
- Ceramic disc cartridge



## INFINITY

10120-FD - (CHROME)

Indulge yourself in the beauty of polished chrome for a refreshed look in your bathroom space. This beautiful freestanding faucet from Flavio can be used on any freestanding tub. Directly mounted to the floor, this faucet will complement any modern or contemporary looking bathroom for an overall elegant look.

- Solid brass construction
- Finishes: Chrome Platted
- Ceramic disc cartridge
- Swivel spout
- Sleek single function wand
- Flow rate: Max 1.6 GPM (tub spout)
- Flow rate: 2.5 GPM (hand shower)
- Handshower Functions: Spray
- Ceramic disc cartridge







Wall-mounted sink set  
with swivel upper tube spout.  
Lengt spout: 17 cm.

**F7005CR**



Single-lever sink mixer,  
with swivel spout, for low pressure.  
Height: 18,5 cm - Interaxis 22 cm

**M16608**



Single-lever wall mounted  
sink mixer  
with frontal lever & movable spout.  
Height: 26 cm - Interaxis 19 cm

**M16633**



Single lever wall mounted  
sink mixer  
with frontal lever & movable spout.  
Height: 28cm - Interaxis: 17 cm

**SR633B**



Single-lever sink mixer 45°  
with high movable spout.  
Height: 27 cm - Interaxis: 18 cm.

**SR614TCR**



Sink mixer with flexible hose  
coated in softtouch matte  
black rubber pipe.  
Height: 49 cm - Interaxis: 21 cm

**SR241**



Single-lever sink mixer with high  
movable spout.  
with Ø35mm ceramic disc cartridge  
Height: 41,6cm - Interaxis: 21,5cm

**PR21619CR**



Single-lever sink mixer 90°  
with high movable spout  
Height: 33cm - Interaxis: 17cm

**SR618**





Flavio Estilo Pull-out sink mixer

**AF8888-5C**



Flavio Estilo Pull-out sink mixer-  
Matt Black

**AF8888-5MB**



Flavio Estilo sink mixer -  
Matt Black

**AF1013 5MB**



Flavio Estilo sink mixer Pull-out -  
Matt Black

**AF6846 5MB**



Flavio Estilo "U" Spout sink  
mixer

**AF1573-5C**



Flavio Estilo "U" Spout sink  
mixer - Matt Black

**AF1573-5MB**



Flavio Estilo sink mixer Pull-out -  
Matt Black/Gold

**AF3100-5**



The sensor taps series of Daniel are distinguished by their elegance and performance. The elegance of the lines is guaranteed by the accurate design at the base of any development. The engineering and manufacturing are performed entirely in Italy by engineers and technicians of Daniel Group, through machinery of the latest generation, fully automated and robotized.



Temporized tap 1/2 all in Cp brass opening time 6-8 sec.  
Height: 9,5 cm  
interaxis: 10,5 cm.

**TEM40015**



Temporized frontal mounted 1/2 tap all in Cpbrass, Opening time 6-8 seconds.

**TEM40225**



Built-in shut-off bidet mixer set with shut-off, shower holder and water punch

**OM642**




Temporized urinal button flusher 1/2 all in Cp brass, Opening time 6-8 seconds.

**TEM40855**



Electronic tap, with sensor control, equipped with two angle valves with filter.  
Height: 17cm - Interaxis: 13cm  
Powered by lithium batteries

**SEN30017RR**



Electronic tap, with sensor control, equipped with two angle valves with filter. Height: 30cm - Interaxis: 13cm Powered by lithium batteries

**SEN30017L**





# Amazon



**3**  
**AMAZON-3**  
122x2900mm



**4**  
**AMAZON-4**  
122x2900mm



**7**  
**AMAZON-7**  
122x2900mm



**8**  
**AMAZON-8**  
122x2900mm




**2**  
**AMAZON-2**  
122x2900mm



**6**  
**AMAZON-6**  
122x2900mm



**9**  
**AMAZON-9**  
122x2900mm





# Borneo

---



**2**  
**BORNEO-2**  
122x2900mm



**3**  
**BORNEO-3**  
122x2900mm

# Congo

---



**1**  
**CONGO-1**  
122x2900mm



**2**  
**CONGO-2**  
122x2900mm



# Daintree



**2**

**DAINTREE-2**  
200x2900mm



**3**

**DAINTREE-3**  
200x2900mm



**4**

**DAINTREE-4**  
200x2900mm



**5**

**DAINTREE-5**  
200x2900mm



# Belair

---



**2**

**BELAIR-2**

120x2900mm

# Guinea

---



**1**

**GUINEA-1**

122x2900mm



**2**

**GUINEA-2**

122x2900mm







# *Kinabalu*

---



**1**

**KINABALU-2**  
120x2900mm



**2**

**KINABALU-3**  
120x2900mm



**4**

**KINABALU-4**  
120x2900mm

# *Alpine*

---



**1**

**ALPINE-1**  
120x2900mm

# Knysna

---



**1**

**KNYSNA-1**  
313x2900mm



**2**

**KNYSNA-2**  
313x2900mm

# Komi

---



**3**

**KOMI-3**  
315x2900mm





# *Tsitsikama*

---



**1**

**TSITSIKAMA-1**  
304x2900mm




**2**

**TSITSIKAMA-2**  
304x2900mm

# *Mau*

---



**1**

**MAU-1**  
130x2900mm



# Valdivia



1

**VALDIVIA-1**  
148x2900mm



3

**VALDIVIA-3**  
148x2900mm

# Sumatra



1

**SUMATRA-1**  
120x2900mm





# Vista

---



**1**

**VISTA-1**

300x2900mm



**2**

**VISTA-2**

300x2900mm

# Tiaga

---



**1**

**TIAGA-1**

315x2900mm



# Vertex



**1**  
**Vertex**  
Ancient Wood



**2**  
**Vertex**  
Rosewood



**3**  
**Vertex**  
Silver Grey



**4**  
**Vertex**  
Teak




## Product Specifications:

Composition	Percentage of Content
PVC Composite	60%
Recycled PE	30%
Additives: Colourants Anti-oxidants Anti-Ultraviolet Agent Lubricants etc.	10%

• • • • •

## Product Dimensions:



Dimensions	205 x 26 mm
Standard Length	2.9 m
Mass /m	2.86 kg
Mass /length	8.29 kg
Planks /m <sup>2</sup>	1.68
Coverage /m <sup>2</sup>	4.88



**1** **Vertex**  
Ancient Wood




**2** **Vertex**  
Rosewood



**3** **Vertex**  
Silver Grey

## Optional Extras:

Outdoor Edging Strip



**4** **Vertex**  
Teak







**FRANKFURT**  
30x60cm

**Plain**



**WOODGREY**  
30x60cm

**Plain**



**CARDIFF ASH LEAF**  
30x60cm

**Plain**



**SKYROS BEIGE**  
30x60cm

**Plain**



**DAVOS BIANCO**  
30x60cm

**Plain**



**FRANKFURT**  
30x60cm

**Decor**



**WOODGREY**  
30x60cm

**Decor**



**CARDIFF ASH LEAF**  
30x60cm

**Decor**



**SKYROS BEIGE**  
30x60cm

**Decor**



**DAVOS GREY**  
30x60cm

**Decor**



**VENOS LEAF A**  
30x60cm

**Decor**



**VENOS LEAF B**  
30x60cm

**Decor**



**CLOUD CHARCOAL**  
60x60cm

**Plain**




**GLOSSY FINGERS WHITE**  
30x60cm

**Decor**



**RAMBLA GRAFITO**  
30x60cm

**Matt**



**EC. CHEROKEE PERLA**  
17x52cm

**Decor**



**MATT ELDER TAUPE**  
60x120cm

**Matt**



**MATT RAINFALL GREY**  
60x120cm

**Normal**



**MATT RAINFALL GREY**  
60x120cm

**Anti-slip**



**RAPULANO MIX CAFFE**  
80x160cm

**Matt**

**FOR ALL OF YOUR TILING NEEDS**







# Euro Bath & Tile

Mpumalanga: 43 Paul Kruger Street | Trichardt | 017 638 1949 | Germiston: Shop No.1A | Meadwodge Mall | 011 4531084/5523 | Centurion: Shop No. 3 | Centurion Lifestyle Centre | 012 681 4023

**more info @** [www.eurobath.co.za](http://www.eurobath.co.za)